

HURFORD'S
PRODUCT CATALOGUE

Contents

The Hurford Story	3
Environmental Awareness	4

SOLID HARDWOOD FLOORING

French Oak	6
American Oak	7
Fourteen	8
Fourteen+	9
Hurford's Roasted	10
Hurford's Thermally Enhanced	11
Woodlands	12
XL Parquetry	14
Matrix	15
Solid Flooring Finishes	16

ENGINEERED FLOORING

Australian Native	18
Australian Native Herringbone	19
Australian Native Optimise	20
Australian Native Optimise Herringbone	21
HM Walk	22
Genuine Oak	24
Burleigh Floors	26
Hurford Herringbone	28
Naked Oak	29
H Parquetry	30
Caring for Your Floors	32
Accessories (trims + one trim)	34

VINYL FLOORING

Heritage LVP	36

CLADDING

Wood Elements	36
Sugi Ban	40
Boss Board	42
Black Ember	44
Shiplap & Chamferboard	46

WALL LINING

Wood Line	48
Barn Wall	50
Hardwall	51
Echo Panel	52

DECKING & ACCESSORIES

Trex Decking	54
Trex RainEscape & Trex Protect	56
CAMO	57
Hardwood Decking	58

SCREENING

Heimu	60
Hardwood Screening	62

SUPPORTING MATERIALS

Joinery Timber	64
Landscaping	65
Cypress Products	66
Panels & Plywood	67

The Hurford Story

Hurford's is a third generation family business strongly dedicated to the native hardwood timber industry.



The foundation of the Hurford Group of companies occurred in 1932 when Jim Hurford was stood down from his job as a foreman/carpenter with the NSW Railways during the great depression. Together with his brother he went into business renovating and lifting houses in Lismore.

While buying timber from a sawmill, James noticed that a pile of rough-sawn boards was accumulating, he bought them and paid the mill to run them into tongue & groove flooring. With this competitive edge, James saved and purchased his own planing machine. He begun purchasing boards from various sawmills and produced flooring and other products for sale. His innovative approach to value adding set the pattern for Hurford's steady growth in both timber milling and retail over the decades. In 1998 the company opened its world class drying and processing facility, which has been continually updated to ensure it maintains its exacting standards.

The Hurford Group is a major local employer, employing some 100 local staff, plus contractors and is a significant contributor to the regional economy.

An Australian Business.
Founded in 1932 Hurford's is an Australian third generation family business, strongly dedicated to the native hardwood timber industry, celebrating over 90 years of trade.

Nationwide Distribution.
With distribution warehouses located in Queensland, New South Wales, Victoria, South Australia and Western Australia Hurford's are able to efficiently service the Australian market.

50 + Timber Species.
Strong relationships forged over the decades with producers both domestically and internationally allow Hurford's to source an impressive variety of native and exotic specialty timbers.

International Export.
We offer local Hardwoods, Cypress and Hurford Flooring lines for shipping to all major international markets. Hurford's international based branches: New Zealand, North America and France.



Environmental Awareness

Hurford's is committed to our forests, our community and our future.

Sustainability and longevity of the timber industry is always on the agenda for the Hurford family. With over 90 years of trade and a vision to invest for the future, Hurford's is dedicated to doing their bit to help the environment. By investing in land to establish their own plantations they aim to commence ongoing sustainable harvesting and management of these plantations for years to come.

Hurford's is an accredited company, obtained by a third party assessment body to provide the confidence that Hurford's is compliant and upholds environmental standards and requirements of specific Australian codes of practice.

Hurford's are committed to our forest, our environment and our future.



PEFC
PEFC/21-31-139
Promoting Sustainable Forest Management

Underpinning our commitment to the environment, is an ambitious hardwood reforestation project in the local area where we have purchased over 5000 hectares of land and have commenced a planting program that will see more than 25000 new plantation eucalypt saplings established each year.

With careful management, Hurford's aims to commence ongoing sustainable harvesting of these plantations within 25 years.

The plantations are established according to strict environmental guidelines and a code of practice that is regulated by the NSW government. These guidelines are designed to protect soil and water resources and support the surrounding habitat with special consideration to Australia's native flora and fauna.

Amenity plantings are included in every Hurford's planting operation. Never to be harvested, these mixed species trees are established on creek banks for soil protection and to complement designated natural regeneration areas to provide additional corridors of native forest.

Hurford's source a proportion of timber from private native forest with the balance procured from State Forestry which is certified under the Australian Forestry Standards Chain of Custody. (AS4707 – 2021).

Hurford's insist that all timber produced from these forests is done so under the principles of Ecologically Sustainable Forest Management, a system developed to sustain the full range of commercial and conservation values of the natural forest diversity within ecological limits, for current and future generations.



SOLID HARDWOOD FLOORING

A solid hardwood floor is a lifelong investment enhancing the value of your home while delivering a timeless statement of natural beauty and enduring style.



FRENCH OAK

Specialty timber by Hurford's

Inspired by the elegance of Parisian living, Hurford's French Oak is a celebration of quiet luxury, a material story shaped by heritage and designed for Australian spaces.

	French Oak Solid Overlay	French Oak Solid Flooring
Source:	Hurford France	Hurford France
Grade:	Provincial	Provincial
Finished Size:	133mm x 11mm (above the tongue: 5mm)	130mm x 21mm (above the tongue: 8mm)
Lengths:	Random Length 400mm to 3.0m	Random Length 600mm to 3.0m
Profile:	Secret Nail, Tongue & Groove, EM	Secret Nail, Tongue & Groove, EM
Finish:	Unfinished, Raw	Unfinished, Raw
Installation:	Overlay Plywood, Particleboard or Concrete - Plywood Direct Stick or Secret Nail/Glue, Concrete Direct Stick or Secret Nail/Glue	Plywood, Particleboard - Secret Nail/Glue
Site Sand & Finish:	Clear or stained coating (accepts stains exceptionally well).	Clear or stained coating (accepts stains exceptionally well).
Packaging:	Handy bundles (approx. 2.10m^2 per bundle)	Structural flooring packs (approx. 33m^2 per pack)



Scan for more info:

AMERICAN OAK

The Timeless Beauty of Hurford's American White Oak



American Oak is renowned for its captivating grain pattern, making it a highly sought-after option for flooring. Its distinctive appearance adds depth and character to any space, making it a favorite among homeowners and designers alike. At Hurford's, we import raw American Oak feedstock, ensuring only the finest quality timber is selected. From there, our expert team carefully treats, machines, and grades the wood to exacting standards, guaranteeing superior quality and stability in every plank.

Grown predominantly along the East Coast of the United States, American Oak flourishes in the region's favorable climate and soil conditions. We pride ourselves on sourcing all our White Oak raw material from reputable sawmills committed to sustainable forestry practices. This not only ensures the superior quality of our products but also reflects our dedication to environmental stewardship.


When you choose Hurford's, you not only get the timeless beauty of American Oak but also the assurance of craftsmanship, quality, and a commitment to sustainability.

American Oak Specifications	
Species	American Oak
Grade	Prestige or Rustic
Size	180mm x 21mm & 130mm x 19mm (Tongue & Groove Top nail EM), 80mm x 19mm (Tongue & Groove Secret Nail EM)
Lengths	600mm x 4500mm

FOURTEEN

SOLID HARDWOOD TIMBER FLOORING | BY HURFORD'S


Brought together to share the diversity of Australian hardwood species, in one of Hurfords most loved flooring collections. A Solid Hardwood Floor is an investment for a lifetime. It not only adds value to your home but makes a high-end style statement all on its own.



BLUE GUM
Eucalyptus saligna




THERMALLY ENHANCED BLUE GUM
Eucalyptus saligna



BRUSHBOX
Lophostemon confertus




TURPENTINE
Syncarpia glomulifera



GREY IRONBARK
Eucalyptus paniculata



NEW ENGLAND BLACKBUTT
Eucalyptus andrewsii



SILVERTOP
Eucalyptus laevopinea



TALLOWWOOD
Eucalyptus microcorys

Fourteen Specifications	
Species	Blackbutt, Blue Gum, Brush Box, Grey Box, Grey Ironbark, New England Blackbutt, Red Ironbark, Silvertop, Spotted Gum & Tallowwood
Grade*	Select, Prestige, Standard, Rustic & Feature
Profile	Tongue & Groove Offset (End Matched)
Size	130mm x 14mm & 180mm x 14mm
Lengths	600mm – 4500mm

Your Forever Floor

*Grades will depend on width and species – please check before quoting/ordering.

FOURTEEN +

SOLID HARDWOOD TIMBER FLOORING | BY HURFORD'S


Creating beautiful timeless hardwood floors has never been easier or more affordable than with FOURTEEN + from Hurford's. Using the highest quality Australian Hardwood, Hurford's have created a superior hardwood floor, designed to better utilise our precious resource and provide an improved long term performance.

Better by Design
With a 7.5mm top shoulder, FOURTEEN + increases the number of times the product can be sanded and re-sanded, increasing the longevity of the flooring. FOURTEEN + exceeds the wear layer of traditional flooring by 25%.

Long Lengths
With a length range of 500mm to 4.5m, FOURTEEN + has a spread of lengths comparable to a traditional floor, giving the floor a more natural strip flooring appearance.

Superior Drying
Hurford's attention to detail when it comes to drying is unsurpassed and is the foundation of a successful hardwood floor. Superior drying, using exacting kiln schedules, ensure a more stable flooring.

Easy Installation
FOURTEEN + can be installed using the same installation method employed with traditional 19mm floors over structural subfloors – using the secret nail and bead gluing system.



FOURTEEN + is a hardwood flooring product designed to be installed on any suitable subfloor, such as plywood, particleboard flooring, or old floorboards.

FOURTEEN + cannot be laid directly to floor joists or battens and is a non-structural product.




Fourteen+ Specifications	
Size	85mm x 14mm
Profile	Tongue & Groove, End Matched
Wear Layer	7.5mm
Length	500mm to 4500mm
Grade	Select, Standard & Feature
Aust Standard	Manufactured to AS 2796.1

Hurford Roasted is a high temperature thermally modified hardwood that uses a custom designed heating program to alter the woods molecular structure. This has many benefits that include locking in the colour, increasing the durability and limiting movement to a fraction of normal kiln dried flooring.


Roasted Peat ranges from natural dark earth hues to dark chocolate tones. Roasted Cayenne has an intimate reddish bronze palette.

Hurford Roasted sets a new standard for luxury in Australian hardwood flooring.

Through our exclusive Roasting process, we transform the natural color of hardwood, creating a deep, rich tone that runs through the entirety of the wood. Available in two distinct and captivating shades:



Peat: Embracing a natural, dark earth hue that exudes warmth and sophistication.



Cayenne: Unveiling an intimate, reddish-bronze palette that adds depth and character to any space.

What sets Hurford Roasted apart is its high-temperature thermal modification. Our custom-designed heating program alters the wood's molecular structure, resulting in a floor that not only boasts stunning color but also enhanced durability. This process effectively locks in the color, ensuring it won't fade over time, while also significantly reducing the risk of movement, compared to traditional kiln-dried flooring.

Hurford Roasted Specifications	
Colours	Peat, Cayenne
Colour Penetration	100% through the board
Profile	Tongue & Groove Offset (End Matched)
Sizes	86 × 10mm 83 × 14mm 128 × 14mm 178 × 14mm
Wear Layer	5.5mm
Lengths	600mm – 4500mm (128mm & 178mm) 400mm – 2700mm (86mm & 83mm)


Thermally Enhanced Hardwood

BY HURFORD'S

This process uses a unique temperature schedule through the drying process to create a colour palette that reflects the more traditional tones in the species, blending the tones together to provide a more uniformed look.



THERMALLY
ENHANCED
SYDNEY BLUE GUM
Eucalyptus saligna



THERMALLY
ENHANCED
GREY IRONBARK
Eucalyptus paniculata



THERMALLY
ENHANCED
SPOTTED GUM
Corymbia maculata


Thermally Enhanced Hardwood Specifications	
Species	Grey Ironbark, Red Ironbark, Spotted Gum, Sydney Blue Gum
Colour Penetration	100% through the board
Profile	Tongue & Groove
Product Coating	Unfinished
Installation	Plywood, particleboard, or over existing floorboards
Sizes	83 × 14mm 130 × 14mm 180 × 14mm 80 × 19mm 180 x 14mm
Coating Recommendation	To maintain the deep rich colour of Hurford's Thermally Enhanced Hardwood, Hurford's does not recommend the application of water based finishes. Water based finishes can significantly lighten the appearance of Hurford's Thermally Enhanced Hardwood overtime.

The Woodlands Collection

SOLID HARDWOOD TIMBER FLOORING
BY HURFORD'S


Brought together to share the diversity of Australian hardwood species, in one of Hurford's most loved flooring collections.

A Solid Hardwood Floor is an investment for a lifetime. It not only adds value to your home but makes a high-end style statement all on its own.




BRUSHBOX
Lophostemon confertus

Brings warmth, displays appealing features and matches well with modern elegant spaces. Brush Box has an even texture with very tight interlocking grain.



TURPENTINE
Syncarpia glomulifera

With beautiful deep chocolate reddish brown colouring, Turpentine is a floor that matches well with contemporary interior styling.



SYDNEY BLUE GUM
Eucalyptus saligna


A popular species for its beautiful colour, straight grains, strong and hard natural attributes. Making it sought after for both domestic and commercial flooring projects.



GREY IRONBARK

Eucalyptus paniculata


Offering a large variety of colour from dark chocolate to nutty honey with some dark reddish brown. Recognised as an extremely hardwearing timber, perfect for high traffic areas.



NEW ENGLAND BLACKBUTT

Eucalyptus andrewsii

Straight grained timber with a warm nutty hue which will compliment a range of interior designs where a lighter neutral palette is required.



SILVERTOP

Eucalyptus laevopinea


Being a contemporary neutral colour, Silvertop compliments well with a large variety of modern interior decors.



A contemporary take on a historic style...

For a standout and visually appealing designed floor, Hurford's XL Parquetry will give your home or commercial space a unique feature with the charm of historic style.

Single blocks are manufactured so they can be installed into endless parquetry patterns, popular patterns suggested are Herringbone, Brick Pattern and Square on Square. A selection of Australian native species are available for you to choose.



XL Parquetry Specifications	
Species	Blackbutt, Brush Box, Grey Ironbark, New England Blackbutt, Red Ironbark, Silvertop, Spotted Gum – NSW, Spotted Gum – QLD, Sydney Blue Gum, Thermally Enhanced Sydney Blue Gum, *Roasted Peat & Roasted Cayenne (Other species available on request)
Grade	Prestige
Profile	Secret Nail, Tongue & Groove, End Matched
Coating	Uncoated (Sand and coat once installed)
Sizes	130mm x 14mm *Roasted Peat & Roasted Cayenne 128 x 14mm (Different widths available on request)
Length	650mm *Roasted Peat & Roasted Cayenne 640mm (Different lengths available on request)
Coverage	1.014M²/box *Roasted Peat & Roasted Cayenne 0.983 M²/box
Packaging	12 pieces per box – Left and Right Box
Install Over	Wood, particle board, plywood & plywood over concrete

Solid Flooring Specifications

Species Product Matrix	Ultra10	Overlay			Fourteen		Fourteen+	Traditional			
	86 x 10mm	83 x 12mm	86 x 12mm	83 x 14mm	130 x 14mm	180 x 14mm	85 x 14mm	60 x 19mm	80 x 19mm	130 x 19mm	180 x 21mm
Blackbutt	○	○	○	○	○	○	○	○	○	○	○
Brush Box	○	○	○	○	○	○	○	○	○	○	○
Flood Gum/ Rose Gum									○	○	
Grey Box	Available on request										
Grey Ironbark	○	○	○	○	○	○	○	○	○	○	○
Mixed Hardwood								○	○	○	
New England Blackbutt		○	○	○	○	○	○		○	○	○
Red Ironbark	○	○	○	○	○	○	○		○	○	○
Roasted Cayenne	○			○	○ 128 x 14mm	○ 178 x 14mm					
Roasted Peat	○			○	○ 128 x 14mm	○ 178 x 14mm					
Silvertop		○	○	○	○	○	○		○	○	○
Spotted Gum - NSW	○	○	○	○	○	○	○	○	○	○	○
Spotted Gum - QLD				○	○	○	○	○	○	○	○
Sydney Blue Gum	○	○	○	○	○	○	○	○	○	○	○
Tallowwood	○	○		○	○	○	○	○		○	○
Thermally Enhanced Grey Ironbark		○		○	○	○	○	○		○	○
Thermally Enhanced NSW Spotted Gum				○	○	○	○		○	○	○
Thermally Enhanced Sydney Blue Gum		○		○		○	○		○	○	○
Turpentine		○		○	○	○			○	○	○
Whian Whian Blackbutt									○	○	○
White Mahogany		○		○	○	○			○	○	○

Cypress Pine available in 62 x 20mm, 85 x 20mm, 98 x 20mm, 100 x 20mm, 108 x 20mm, 133 x 20mm


Please Note: Images are not always an accurate representation of the normal colour tones of a species. Please speak with your local Hurford's supplier for samples. If you do not know your closest Hurford's supplier or are unable to acquire your desired samples please email us at info@hurfordwholesale.com.au.




Solid Oak Block Parquetry Herringbone and Chevron

Parquetry is a unique floor system with its decorative patterns, adds quality and value to new and renovated spaces.

Species	European Oak
Grade	Prestige
Profile	Square Edge
Size	123mm x 18mm
Lengths	700mm
Coating	RAW (Sand and coat once installed)
Pieces Per Box	12 Pieces
Coverage Per Box	1.033m^2



Herringbone Pattern



Chevron Pattern

THE IMPORTANCE IN SELECTING THE RIGHT FINISH FOR YOUR FLOOR.

Choosing Hurford's high quality solid hardwood flooring is an important step to having a beautiful floor installed in your home, but choosing what finish is applied on top of it can make all the difference to the look and feel. Finish choices are developing at a rapid pace and products that give a more natural deep earthly tone are becoming popular.




Blue Gum with Water Based Finish



Blue Gum with Oil Based Finish

The above example shows 2 panels of Sydney Blue Gum Flooring with alternate finishes applied. A water based finish gives a lighter appearance whereas an oiled finish brings out a darker tone. These examples are only indicative however they show that a deeper red colour can be achieved depending upon the finish that is applied.

It is recommended to test different finishes on offcut flooring pieces to finalise your finish choice.



ENGINEERED FLOORING

Experience the organic charm of real timber, combined with the strength and versatility of modern engineering. Hurford's Engineered Flooring delivers a stunning, durable, and long-lasting flooring solution designed for contemporary living.

AUSTRALIAN NATIVE
BY HURFORD'S

Emphasising Australia's much loved classic species, Blackbutt, Blue Gum, Brush Box, Silvertop Stringybark & Spotted Gum.

AUSTRALIAN HARDWOOD SURFACE | 7 COATS HIGH-TECH BONA LACQUER | Matching Accessories | 25 YEAR CONSTRUCTION WARRANTY



BLACKBUTT



RUSTIC BLACKBUTT



BRUSH BOX



BLUE GUM




SILVERTOP STRINGYBARK




QLD SPOTTED GUM



SPOTTED GUM









Australian Native Specifications	Blackbutt, Blue Gum, Brush Box, Silvertop Stringybark, QLD Spotted Gum, Spotted Gum & Rustic Blackbutt	Blackbutt, QLD Spotted Gum, Spotted Gum & Rustic Blackbutt
Core Material	Hevea	Hevea
Locking System	Välinge 5G Glueless Joining System	Välinge 5G Glueless Joining System
Width	132mm	180mm
Thickness	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)
Edge Profile	Micro Bevel (Sides and Ends)	Micro Bevel (Sides and Ends)
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Surface	Smooth Texture	Smooth Texture
Coating	Bona UV Lacquer system	Bona UV Lacquer system
Finish	Matte 8-12%	Matte 8-12%
Coverage	1,830mm - 1.932m² & 2,190mm - 2.312m²	1,830mm - 1.976m² & 2,190mm - 2.365m²
Packaging	8 rows per box, maximum of 3 nested rows (Rustic Blackbutt only: 8 rows per box, maximum of 4 nested rows)	6 rows per box, max 3 nested rows (Rustic Blackbutt: 6 rows per box, max 4 nested rows)
Matching Accessories	EVERwalk & HUSHwalk Underlays, Trims & Scotia	EVERwalk & HUSHwalk Underlays, Trims & Scotia







Australian Native Herringbone is an engineered, pre-finished parquetry floor, available in six species, Blackbutt, Rustic Blackbutt, Brush Box, Blue Gum, Spotted Gum and QLD Spotted Gum. Featuring a micro bevel edge profile and finished in a modern matte smooth surface, to achieve a floor that's earthy and effortless.

Australian Native Herringbone Specifications	Blackbutt, Rustic Blackbutt, Blue Gum, Brush Box, Silvertop, Spotted Gum & QLD Spotted Gum
Core Material	Hevea
Locking System	Tongue & Groove (ends and sides)
End Profile	End Matched
Edge Profile	Micro Bevel
Size	120mm
Thickness	14mm (Lamella Nominal 4mm)
Length	600mm
Surface	Smooth
Coating	Bona UV Lacquer System, Matte 8-12%.
Coverage	0.576 m²/box
Packaging	8 pieces per box – 4 Set A (left) & 4 Set B (right)
Install Suitability	Direct glued
Install Sub-Floor Heating	No
Install Over	Wood, concrete, plywood & plywood over concrete
Colour Match Accessories	Yes

AUSTRALIAN NATIVE OPTIMISE
BY HURFORD'S


INTRODUCING


Australian Native Optimise

...where sleek flooring meets uncompromising sustainability.

Crafted from sustainably sourced wood with a refined nominal 3mm Lamella, Optimise maximises resource efficiency without compromising quality.

Our commitment to innovative craftmanship endures durability, modern aesthetics, and a lower environmental footprint on every plank. With its economical design, Australian Native Optimise provides a cost-effective solution for high quality flooring.


Blackbutt


Spotted Gum


Brush Box

Species	Blackbutt, Blackbutt Rustic, Brush Box, Spotted Gum, QLD Spotted Gum & Blue Gum	Blackbutt & Spotted Gum
Coating/ Finish	Bona UV Lacquer System	Bona UV Lacquer System
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Width	132mm	180mm
Thickness	13.5mm (Lamella Nominal 3mm)	13.5mm (Lamella Nominal 3mm)
Edge Profile	Micro Bevel (Sides and Ends)	Micro Bevel (Sides and Ends)
Coverage	1,830mm – 1.976m^2 & 2,190mm – 2.365m^2	1,830mm – 1.976m^2 & 2,190mm – 2.365m^2
Packaging	8 rows per box, max 3 nested rows. Rustic Blackbutt: 8 rows per box, max 3 nested rows.	6 rows per box, maximum of 3 nested rows. Rustic Blackbutt: 6 rows per box, max 4 nested rows.



Blackbutt

Spotted Gum

Species	Blackbutt & Spotted Gum
Coating	Bona UV Lacquer system
Length	600mm
Width	120mm
Thickness	13.5mm (Lamella Nominal 3mm)
Profile	Tongue & Groove (Sides and Ends)
Packaging	8 pieces (4 pcs of Set A and 4 pcs of Set B in one pack)

AUSTRALIAN NATIVE
OPTIMISE
HERRINGBONE
BY HURFORD'S

HM WALK
HARDWOOD ENGINEERED FLOORING
BY HURFORD'S


AMERICAN WHITE OAK


BLACKBUTT


SILVERTOP


TALLOWWOOD


SPOTTED GUM


BRUSH BOX


IRONBARK


SYDNEY BLUE GUM


JARRAH

WALK on your very own REAL Hardwood floor today.

In the hectic world we all live in, its nice to be able to take the time and WALK on a beautiful Engineered Hardwood floor.

With its unique glueless locking system HM WALK is fast and easy to install in your home.

HM WALK is an engineered hardwood floor, which means that the surface you WALK on and see is made of strong Hardwood, while underneath the surface HM WALK uses an extremely stable 9 ply construction made of plantation Eucalypt. This type of construction ensures the maximum use of our precious hardwood, which in turn is better for the environment.

WALK on your hardwood floor today




HM Walk Specifications	SATIN	MATTE	OAK
Species	Blackbutt, Brush Box, Ironbark, Jarrah*, Spotted Gum & Sydney Blue Gum	Blackbutt, Brush Box, Ironbark, Silvertop, Spotted Gum, Sydney Blue Gum & Tallowwood	American White Oak
Surface	Australian Hardwood Smooth	Australian Hardwood Smooth	Australian Hardwood Smooth
Locking System	Välinge 2G Glueless Joining System	Välinge 5G Glueless Joining System	Välinge 2G Glueless Joining System
Edge Profile	Micro Bevel (Side and Ends)	Micro Bevel (Side and Ends)	Micro Bevel (Side and Ends)
Coating	13 coat system incorporating Aluminium Oxide - Satin Finish	13 coat system incorporating Aluminium Oxide - Matte Finish	13 coat system incorporating Aluminium Oxide - Matte Finish
Size	136mm & 186mm	136mm	186mm
Length	1,830mm	1,830mm	1,830mm
Thickness	13.5mm (0.6mm Veneer)	12.5mm (0.6mm Veneer)	13.5mm (0.6mm Veneer)
Packaging	6 rows per carton, up to 2 nested rows	6 rows per carton, up to 2 nested rows	6 rows per carton, up to 2 nested rows

*Jarrah only available in 136mm board width.


BRUSH BOX
- MATTE


SYDNEY BLUE GUM
- MATTE


IRONBARK
- SATIN



BLACKBUTT
- MATTE




Genuine Oak Specifications	260/20	240/15	190/15	190/14
Colour Stains	Snowfall*, Hamptons, White Wash, Natural Clear, Western, Barrel, Slate Grey and RAW (Uncoated)	Whitehaven, Snowfall*, Hamptons, White Wash, Natural Clear, Western, Distress*, Smouldered*, Caramel, Urban, Barrel, Vintage, Wheat, Slate Grey, Ash*, Smokey*, Chocolate*, Tuxedo*, Sterling*, Nuage*, Contrast* & RAW (Uncoated)	Whitehaven, Snowfall*, Hamptons, White Wash, Natural Clear, Western, Distress*, Smouldered*, Caramel, Urban, Barrel, Vintage, Wheat, Slate Grey, Ash*, Smokey*, Chocolate*, Tuxedo*, Sterling*, Nuage*, Contrast* & RAW (Uncoated)	Whitehaven, Snowfall*, Hamptons, White Wash, Natural Clear, Western, Distress*, Smouldered*, Caramel, Urban, Barrel, Vintage, Wheat, Ash*, Sterling, Smokey*, Nuage*, Chocolate*, Slate Grey, Contrast* & Tuxedo*
Surface	Subtle Brush Texture Oak - Character	Subtle Brush Texture Oak - Prime	Subtle Brush Texture Oak - Character	Subtle Brush Texture Oak - Character
Locking System	Tongue & Groove (Sides and Ends)	Tongue & Groove (Sides and Ends)	Tongue & Groove (Sides and Ends)	Tongue & Groove (Sides and Ends)
Edge Profile	Micro Bevel	Micro Bevel	Micro Bevel	Micro Bevel
Coating	UV cured 5 coat Ciranova Lacquer system - Ultra Matte	UV cured 7 coat Treffert Lacquer system - Ultra Matte	UV cured 7 coat Treffert Lacquer system - Ultra Matte	UV cured 7 coat Treffert Lacquer system - Ultra Matte
Size	260mm	240mm	190mm	190mm
Length	2,200mm	2,200mm	1,900mm	1,900mm
Thickness	20mm (Lamella 6mm)	15mm (Lamella 4mm)	15mm (Lamella 4mm)	14mm (Lamella 3mm)
Packaging	4 rows per box, 1 nested row multiple boards up to 3, minimum 600mm	5 rows per box, 1 nested row multiple boards up to 3, minimum 600mm	6 rows per box, max of 2 nested rows	6 rows per box, max of 2 nested rows

*Longer lead times may apply for this colour.







WHITEHAVEN



SNOWFALL



HAMPTONS



WHITE WASH



NATURAL CLEAR



WESTERN



DISTRESS



SMOULDERED




CARAMEL



URBAN



BARREL



VINTAGE



WHEAT



SLATE GREY




ASH



SMOKEY



CHOCOLATE



TUXEDO




STERLING



NUAGE




CONTRAST



RAW (UNCOATED)









Burleigh Floors
Specifications

Species	Blackbutt	Spotted Gum	Blackbutt, Spotted Gum	Roasted Peat
Coating	Invisible UV Lacquer	UV Lacquer	UV Craft Oil	UV Craft Oil
Edge Profile	Micro Bevel	Micro Bevel	Micro Bevel	Micro Bevel
Surface	Light Brushed	Light Brushed	Light Brushed	Smooth
Finish	Matte	Matte	Matte	Matte
Locking System	Tongue & Groove (Side & Ends)	Tongue & Groove (Side & Ends)	Tongue & Groove (Side & Ends)	Tongue & Groove (Side & Ends)
Size	135mm	135mm	135mm & 180mm	180mm
Thickness	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)
Core	Havea	Havea	Havea	Havea
Length	1,830mm & 2,190mm	1,830mm & 2,190mm	1,830mm & 2,190mm	1,830mm & 2,190mm
Packaging	135mm:8 rows per box, max of 3 nested rows	135mm: 8 rows per box, max of 3 nested rows	135mm: 8 rows per box, max of 3 nested rows 180mm: 6 rows per box, max of 2 nested rows	180mm: 6 rows per box, maximum of 2 nested rows
Coverage	135mm: 1,830mm - 1.976m^2 2,190mm - 2.365m^2	135mm: 1,830mm - 1.976m^2 2,190mm - 2.365m^2	135mm: 1,830mm - 1.976m^2 2,190mm - 2.365m^2 180mm: 1,830mm - 1.976m^2 2,190mm - 2.365m^2	180mm: 1,830mm - 1.976m^2 2,190mm - 2.365m^2
Installation	Glue Down, Floated	Glue Down, Floated	Glue Down, Floated	Glue Down, Floated

SHOWCASE THE NATURAL BEAUTY OF OUR AUSTRALIAN SPECIESWITH OUR NEW UV LACQUER RANGE OF FLOORING.

The new 'Invisible' UV Lacquer finish helps to bring out the warm, gentle feel of our Blackbutt flooring while the addition of non-yellowing agents ensure that your floor will maintain a clear look throughout its lifetime.

The vibrant richness of colour found in Spotted Gum flooring lends itself to a traditional UV Lacquer finish which helps to accentuate the impressive spectrum of colours avaliable in this timber.


LUXURY IN ANY SPACE BRINGS THE FEELING OF STYLE AND SOPHISTICATION, AND STARTS FROM THE FLOOR UP.


Burleigh Floors is a premium engineered floor, with its slightly textured surface and modern matte oil finish it is the perfect choice for interiors of distinction. With the coastal golden rays of Blackbutt, the attractive wild warmth of Spotted Gum and the deep rich tones of Roasted Peat this boutique collection offers only the finest from our Australian species.

Roasted Peat, is an Australian Hardwood that has been through a thermal modification process that uses no chemicals to permanently alter the structure of the wood fibre. This process greatly increases the stability and density of the hardwood, as well as locking in the gorgeous deep earth to chocolate brown colour tones.

We use a stable hevea core along with native Australian hardwood lamellas to provide a consistent and sturdy construction in all our flooring.

Choose from one of our prefinished options for long lasting and easy-to-maintain protection or take advantage of the high degree of flexibility offered by our raw timber to perfectly match your floor to its surroundings.






Burleigh Floors 400mm Wide Oak Specifications	NATURAL (Pre-finished Stain)
Species	European Oak
Coating	Invisible UV Lacquer
Width	400mm
Thickness	20mm (Lamella Nominal 5mm)
Length	2,800mm & 5,000mm
Construction	Multi Ply – Eucalyptus Substrate and Birch Back Layer
Locking System	Tongue & Groove, End Matched, Micro-Bevel Edge
Surface	Lightly Brushed
Install Suitability	Glue Down
Coverage	2,800mm - 2.24m^2 & 5,000mm - 4.0m^2
Packaging	2 rows per box, some boxes contain nested rows. No less than 1,000mm for the nested length











Hurford Herringbone Specifications	RAW
Surface	Smooth Lightly Sanded - Oak Prime
Locking System	Tongue & Groove (Sides & Ends)
Edge Profile	Square Edge, Side & Ends
Coating	RAW (Uncoated)
Size	120mm
Length	600mm
Thickness	14mm (Lamella Nominal 3mm)
Packaging	24 pieces per box



RAW
(UNCOATED)









Naked Oak Specifications	NATURAL	RAW
Surface	Light Brushed Texture - Oak Prime	Smooth Lightly Sanded - Oak Prime
Locking System	Tongue & Groove (Sides and Ends)	Tongue & Groove (Sides and Ends)
Edge Profile	Micro Bevel (Sides and Ends)	Fine Sand, Square Edge
Coating	UV Lacquer Matte	RAW (Uncoated)
Size	190mm	190mm
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Thickness	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)
Packaging	6 rows per box, max of 2 nested rows	6 rows per box, max of 2 nested rows



NATURAL





RAW (UNCOATED)





NATURAL CLEAR - HERRINGBONE








NATURAL CLEAR



WESTERN




BLONDE




MINK




HAZEL



RAW
(UNCOATED)



Herringbone Pattern



Chevron Pattern

Hurford's Parquetry Specifications	PRE-FINISH COLOUR	RAW
Colours	Natural Clear, Western, Blonde, Mink & Hazel	RAW (Uncoated)
Pattern	Chevron or Herringbone	Chevron or Herringbone
Surface	Light Brushed Texture - Oak Character	Smooth Lightly Sanded - Oak Character
Locking System	Tongue & Groove (Sides and Ends)	Tongue & Groove (Sides and Ends)
Edge Profile	Micro Bevel (Sides and Ends)	Fine Sand, Square Edge (Side and Ends)
Coating	UV cured 6 coat Klumpp system - Ultra Matte	RAW (Uncoated)
Size	150mm	150mm
Length	750mm	750mm
Thickness	14mm (Lamella Nominal 3mm)	14mm (Lamella Nominal 3mm)
Packaging	20 pieces per box	20 pieces per box



Caring for your Engineered Floors

Cleaning Your Floor

Antistatic mops provide an effective means of collecting dust and grit for your daily cleaning. For a deeper clean, use a microfiber spray mop that is compatible and safe for timber floors. Steam mops must not be used. Never use excess amounts of water, oil, soap, wax or other household products to clean your floor, only use neutral pH cleaners. Loba is a company that provides suitable floor care products. Vacuum cleaners can also be used but with a need to ensure that the bristles are not worn to avoid scratches. If a spill or leak occurs, soak up the bulk of the liquid quickly so as to reduce the risk of staining.

Preventing Scratches And Indentations

To prevent dirt, sand, grit and other substances from being tracked onto your floor, use doormats outside each entrance to your home. As added protection floor mats can be placed inside at external doorways. However, ensure that these are not rubber-backed, latex-backed or coco fibre, which can stain the floor beneath.

Felt protectors are to be used under furniture legs and in particular moveable furniture that more easily cause scratches. In offices, casters (type W) and floor protection mats under chairs can be used to prevent the castors from marking the floor. Support larger furniture with widebearing, furniture floor protectors. Ideally, these protectors should be at least 25mm in diameter, made of nonpigmented hard plastic, and are to rest flat on the floor.

High heels and shoes with gravel and grit stuck on them can damage any floor. We suggest using rugs and runners in high traffic areas. Remember to shake out rugs and vacuum regularly. Your furry friends can also scratch your floors, so be sure to have your dog and cat toenails regularly clipped.

If you need to move heavy furniture and/or appliances across the floor, always use strips of wood or hardboard 'runways' to protect the floor. Use the 'runways', even if you have an appliance dolly or with heavy items that have their own wheels or rollers.

The Internal Environment

Changes in humidity cause floors to expand and contract. While floors can be expected to perform well in temperatures from 10°C to 32°C, and relative humidity levels between 40% and 70%, prolonged very dry or very humid weather can cause changes in the board's appearance (e.g. a crowned appearance, minor splits in the surface layer, end or edge joints becoming raised). When possible, during those times of more extreme weather conditions, protect your floor by controlling the heating and cooling, to create a comfortable living environment, maintained within the bounds outlined above.

Intense Sun Exposure

Having your curtains and blinds closed during periods when floor areas would be subject to intense sunlight is also prudent to lessen the rate of colour change in the floor and to limit the development of minor surface splits (or checks). Window tinting and sun filter curtains are also good alternatives that help maintain an acceptable internal climate for your floor.

Note that both the timber and coatings change colour with time. We often see fading in fabrics with sun exposure and with timber floors there can be a similar effect. The change in colour is often not noticeable but when floor rugs are lifted there can be distinct colour tone differences. With new floors, the colour change is more rapid and the changes then slow with time. To lessen the effect, floor rugs should not be placed until three months after installation.



Repairs To Damaged Floors

Depending on the damage, there are options for repair and it is always beneficial to have a spare box of boards available in case there is a need for board replacement. Minor damage such as chips out of a board or larger indentation can often be repaired with a wax stick of a similar colour tone to your floor. Some companies also specialise in surface repairs and use a number of different wax colours to blend the repair in. If damage is more extensive then boards can be replaced. The possibility of a recoat can also be considered which range from sacrificial polishes to two component water based polyurethane finishes. The preparation needed and process used will differ depending on the coating system and the engineered product, so it is necessary to discuss options with your flooring professional.

Warranties


Hurford's and quality go hand-in-hand. All of our engineered floorings come with a 25 year structural integrity warranty, as well as a 15 year domestic or 5 year commercial surface warranty. Full warranty details for your product can be accessed from Hurford's website. It is also important to remember, timber is a natural product with its own story. Individual boards will vary in colour, tone and features. This variation is what gives timber flooring it's natural beauty and appeal.


MATCHING ACCESSORIES

Hurford's can supply matching accessories; Aluminium Trims, MDF Wrapped Scotia's and Floating Floor Underlay

everWALK - 2mm closed cell underlay with attached moisture protection.

hushWALK - 2mm ultra high density premium underlay with attached moisture protection.









OneTrim is a collection of radiata pine, white pre-primed, kiln dried, finger jointed mouldings. We offer an extensive selection from contemporary to traditional profiles that add distinctive features, dimension, texture and architectural interests to your home, retail or commercial interior.

To view the full collection of OneTrim moulding profiles and size options, please visit www.onetrim.com.au

Primed & Ready for your choice of Topcoat

Internal Installation Only

Time Saving on Preparation Time

Strong & Durable

25 YEARS
Warranty on Structural Integrity



VINYL FLOORING

Discover timber-inspired vinyl flooring that combines natural style with modern durability and everyday practicality. With realistic textures and versatile designs, it brings warmth and sophistication to any residential or commercial space.



CARAMEL



COASTAL
BLACKBUTT



HAMPTONS



MINK



NATURAL
CLEAR



NSW
SPOTTED GUM



ROASTED
SPOTTED GUM



TASMANIAN
OAK



WESTERN



WHEAT



By producing realistic designs from our own manufactured timber, Heritage LVP is on it's way to becoming the leading choice for authentically detailed and stylish contemporary colours. The Heritage LVP range brings a depth of warmth and sophistication to any residential or commercial use.

Heritage
Luxury Vinyl Plan
Specifications

Colours	Caramel, Coastal Blackbutt, Hamptons, Huonville Tasmanian Oak, Mink, Natural Clear, Roasted Spotted Gum, NSW Spotted Gum, Western & Wheat
Thickness	4.5mm (0.5 Wear Layer)
Length	1,524mm
Width	228mm
Packaging	7pcs – 2.44m^2/box
Slip Rating	P3



Durable



Low maintenance



100% recyclable



Non slip back



Quiet underfoot



Water resistant



Pet friendly



Ultra realistic timber designs



CLADDING

Elevate your space with premium cladding, designed to deliver both striking visual appeal and long-lasting protection. Combining natural texture with modern performance, cladding enhances architectural character.



WOOD ELEMENTS

REFINED ARCHITECTURAL HARDWOOD CLADDING

BY HURFORD'S

Choosing WOOD ELEMENTS exterior cladding for your home adds a warmth and timeless charm. Creating a connection to the natural environment and a living space for you to enjoy and relax in.


You have the option to choose from two designer profiles all with their own unique look and in a range of Australian hardwood species. Only the highest quality and naturally durable Australian hardwood species have been selected to produce WOOD ELEMENTS. Rated Durability Class 1 under the Australian Standard AS 5604 -2005, these species provide the best result for lasting performance.

WOOD ELEMENTS complete system is the perfect choice for easy installation with its end matching, concealed screw fix, automatic spacing design, exclusive designer trims and Australian hardwood backed by Hurford's expertise in drying and machining ensuring a precision result.



WOOD ELEMENTS
REFINED ARCHITECTURAL HARDWOOD CLADDING
BY HURFORD'S





STRAIGHT-LINE DRESSED

MOISTURE BARRIER SYSTEM


DOUBLE DRIED TECHNOLOGY

END MATCHED


AUTOMATIC SPACING SYSTEM

WOOD ELEMENTS brings natural style to any exterior surface, whether as an individual feature or an entire façade.

Wood Elements Specifications	
Profile Name	Coulee & Flume
Species	Blackbutt, Cypress, Ironbark, New England Blackbutt, Spotted Gum, Tallowwood & Turpentine
Appearance	Dressed Face or Sawn Brushed Face
Cover Size	50mm, 68mm or 118mm
Thickness	21mm
Length	Random
Grade	Standard & Better
Moisture Content	Per AS2796.1
Fixing	WURTH ASSY®plus 4 A2 SRCS Terrace Construction Screw A2 Stainless Steel Plain Partial Thread Raised Countersunk Head 0166815550 Available to purchase from Hurford's
Joining	End Matched, Micro Bevel
Trim - External Corner	1. Aluminium with fitted moisture proof gasket 2. Wood with moisture proof gasket
Trim - Internal Corner	1. Aluminium with fitted moisture proof gasket 2. Wood with moisture proof gasket
Trim - End Stop	1. Aluminium with fitted moisture proof gasket 2. Wood with moisture proof gasket
Pre-Oil Option	Intergrain® Industrial Universal Timber Oil



Coulee




Flume


Shou Sugi Ban
REFINED ARCHITECTURAL CLADDING
焼杉板
BY HURFORD'S
Australian House of the Year 2023

Shou Sugi Ban
REFINED ARCHITECTURAL CLADDING
焼杉板
BY HURFORD'S







A complete system.

Hurford's Shou Sugi Ban Refined Architectural Cladding combines the ancient Japanese craft of fire treatment with a precision milled, architectonic cladding profile. It is a complete solution for any exterior wall, offering not just the cladding but a selection of customised trims to ensure a streamline execution and watertight result.

The timber species selected to manufacture Hurford's Shou Sugi Ban is ethically sourced and processed by Hurford's locally owned and operated facility in Queensland, Australia. Favourably sort after for its natural qualities and unique appearance, Cypress is highly durable and a naturally termite resistant species. Applying the fire treatment forces an additional barrier of protection against insect attack and decay, furthermore increasing the species overall durability.

Periodic maintenance, including reapplying a fresh coat of Intergrain Industrial Solid Timber Stain, Charred Black is required to maintain the dark burnt texture of the product. Leaving the product unmaintained or uncoated will lead to the dark Shou Sugi Ban to naturally patina and age, changing its appearance. This change in appearance will not affect the performance of the product.

Specifications

CLADDING
Profile: Coulee

Cover Size: 68mm & 118mm

Thickness: 21mm

Length: Random

Moisture Content: AS1080.1

Fixing: Concealed fixing

Species: Cypress, Durable Australian Hardwoods

Joining: End-matched, micro bevel


Finish: Intergrain Industrial Solid Timber Stain, Charred Black

TRIMS
External Corner: Powdercoated Aluminium


Internal Corner: Powdercoated Aluminium

End Stop: Powdercoated Aluminium

Profile Design Coulee



Trim designs external corner, internal corner, end stop



Introducing Boss Board

an architectural embossed cladding

Using advanced technology, it offers a choice of three refined embossing patterns. Supplied primed, it enables homeowners and designers to select their preferred colour and finish for a truly tailored outcome.

Crafted from H3-treated Radiata Pine or Australian Hardwood, this range has been designed with long-term durability front of mind.

Combining creative flexibility with enduring performance, Boss Board is crafted to elevate any project.

Pattern:	Charred, Cross Cut, Wood Grain
Species:	Radiata Pine OR Australian Hardwoods
Profile:	Coulee (End Matched)
Lengths:	Random Length
Cover Width:	118mm
Thickness:	19mm or 21mm
Finish:	Primed OR Raw
Treatment:	H3 Radiata Pine OR Australian Hardwoods




3 Refined Embossing Patterns

Pictured with an inspired finish, this cladding is supplied primed.
The painted surfaces are shown for inspiration and guidance only.

CHARRED



CROSS CUT



WOOD GRAIN



black ember
ARCHITECTURAL EMBOSSED RANGE
BY HURFORD'S

A cladding product crafted for modern Australian spaces.



Available in two patterns, this embossed, black-finished cladding creates a bold architectural statement across both interior and exterior applications, introducing depth, texture and refined design intent.

The advanced surface treatment ensures the texture and finish remain vivid and tactile for years, even in demanding environments.

Crafted from highly durable Australian hardwoods which are rated for use in BAL 29 areas.

Pattern:	Charred, Cross Cut
Profile:	Coulee
Width:	68mm & 118mm Cover Width
Thickness:	19mm & 21mm
Length:	Random
Fixing:	Concealed Fixing
Species:	BAL-29 Australian Hardwoods (Blackbutt or Spotted Gum)
Joining:	End-matched, Micro Bevel
Surface Texture:	Embossed: Charred or Cross Cut
Finish:	Pre-Oiled with One Coat of Sealer


CROSS CUT
CHARRED


Shiplap & Chamferboard



Hurford's prides itself on crafting an extensive range of Shiplap, Chamferboard, and VJ Lining Board, using a diverse selection of premium Australian hardwoods. Renowned for their strength and resilience, these products have long been favored for outdoor applications, offering protection against the elements. However, their appeal has now transcended traditional boundaries, as they are increasingly sought after for interior use.

In modern design, these lining boards have found a new role, adorning ceilings and walls to create stunning focal points within homes, offices, and commercial establishments. Their versatility allows them to seamlessly blend into various architectural styles, from contemporary to rustic, adding character and charm to any space.

By incorporating these high-quality hardwood lining boards into your interior design, you're not only enhancing the visual appeal of your property but also infusing it with the natural beauty and warmth of timber. With a wide range of timber species available, each offering its unique grain patterns and hues, you can tailor your interior decor to suit your personal style and preferences. Whether you opt for the classic elegance of Shiplap, the timeless charm of Chamferboard, or the refined sophistication of VJ Lining Board, you're sure to create a space that exudes warmth, character, and style.





WALL LINING

Redefine interior surfaces with high-quality wall lining, crafted to introduce depth, character, and a polished finish. Blending visual interest with reliable performance, it creates inviting, well-defined spaces suited to both residential and commercial environments.



woodLINE

comptemporary timber lining **BY HURFORD'S**

Contemporary timber lining

woodLINE brings a modern contemporary style to an interior or undercover patio space and can be installed vertically, horizontally or diagonally. The hidden tongue and groove joining system allows a quick and easy install with a line indicating where to nail. Not only does woodLINE look impressive, but it also provides a texture element in a selection of Australian hardwood timber species – Blackbutt, Brush Box, Grey Ironbark, Silvertop, Spotted Gum and Sydney Blue Gum.

woodLINE is reversible with a choice of profiles – Two Strip, Shadow Line or Open VJ. The profile Two Strip visually provides a multiple modern clean line option, with a one board installation. The popular Shadow Line profile presents with a sleek edge, making a stylish statement throughout a home. Open VJ profile is a classic design, delivering a traditional look in a contemporary home.








Diagram Drawings


Two Strip
* Available only in size 75 x 12mm



Shadow Line



Open VJ




WoodLine Specifications	
Species	Blackbutt, Brush Box, Grey Ironbark, Silvertop, Spotted Gum and Sydney Blue Gum
Cover Size	75mm & 122mm
Thickness	12mm
Length	Random (600mm to 4,500mm)
Profiles	Two Strip Reversible Open VJ, Shadow Strip Reversible Open VJ, End Matched
Grades	Prestige or Rustic
Pre-Oil	Yes available on request














Repurposed hardwood lining

barnWALL is a natural timber wall lining that has been repurposed from ageing, disused hardwood, that was once destined to be forgotten.

barnWALL has a natural ashen patina, created by years of harsh weathering, which can be seen on each individual piece. This establishes a very unique industrial look that will transform the identity of a space, creating a raw modern atmosphere.

Including only the most individual naturally occurring and man-made features, barnWALL is a high feature product that complements any interior bringing a brutal rustic sawn look and feel.

Although barnWALL has a authentic aged appearance it has been dried, machined & manufactured to strict modern tolerances.

barnWALL Specifications	
Species	SAND – Mixture of Blonde Australian Hardwoods RUST – Mixture of Red Australian Hardwoods
Seasoning	Kiln Dried
Size	83mm x 12mm
Profile	Tongue & Groove, Square Edge, Plain End
Face	Aged Appearance
Grade	Conservation - Making the most out of the precious resource, Conservation grade focuses on the highest amount of natural and man-made features. This unique product gives a true industrial appearance.
Length	Random (450mm to 3,000mm)


hardWALL
INDUSTRIAL HARDWOOD LINING
BY HURFORD'S

hardWALL is a natural timber wall lining that offers a very unique industrial look that will transform the identity of a space, creating a raw modern atmosphere.

Including only the most individual naturally occurring and manmade features, hardWALL is a high feature product that complements any interior bringing a brutal rustic look and feel.

Each feature represents a period of time that the forest has gone through, whether it is the dense tight grain caused by drought, or dark rouged gum veins caused by scorching wildfires, these features are a chronicle of the history of hardWALL.

hardWALL Specifications	
Species	Lights – Blackbutt, Tallowwood, Grey Box Reds – Blue Gum , Red Ironbark Darks – Brush Box, Spotted Gum, Grey Ironbark
Profile	Tongue & Groove, Square Edge, End Matched
Thickness	14mm
Width	130mm & 180mm
Grade	Conservation – Making the most out of the precious resource, Conservation grade focuses on the highest amount of natural and manmade features. This unique product gives a true industrial appearance







Note - hardWALL is not intended to be used as a flooring product.









EchoPanel® is the original decorative interior panelling solution, with acoustic qualities and eco-innovation at its core.

EchoPanel® reduces and controls reverberated noise in shared environments, making it ideal for use in a variety of commercial interior spaces including workplace, education and hospitality environments. It is a streamlined product with a fabric-like finish, designed with dematerialisation in mind. Once it's been installed, there is no need to upholster, paint or protect it. Pioneering the war against single-use plastic, EchoPanels® production uses post-consumer recycled PET bottles to create a superior upcycled product with a vast array of interior applications.

View Hurford's website for more colours and patterns.

EchoPanell®
Specifications


Product	EchoPanell® 7mm	EchoPanell® 12mm	EchoPanell® 24mm
Origin	Made in Australia	Made in Australia	Made in Australia
Composition	100% PET (60% Recycled)	100% PET (60% Recycled)	100% PET (60% Recycled)
Weight	1400g/m^2 (+/- 10%)	2400g/m^2 (+/- 10%)	3000g/m^2 (+/- 10%)
Thickness	7mm (+/- 7%)	12mm (+/- 7%)	24mm (+/- 7%)
Panel Dimensions	2800mm (+/- 10mm) x 1200mm (+/- 5mm)	2800mm (+/- 10mm) x 1200mm (+/- 5mm)	2400mm (+/- 10mm) x 1820mm (+/- 5mm)



DECKING & ACCESSORIES

Shape the perfect outdoor retreat with quality decking, designed to deliver natural charm, strength, and a seamless connection between home and landscape. Designed for lasting performance, it offers a reliable and stylish foundation for relaxed living and outdoor entertaining.


Trex®
The World's #1 Decking Brand



TREX COMPOSITE DECKING


Trex®high-performance composite deck boards resist fading, scratches, and stains, eliminating the need for maintenance. They won't rot, warp, peel, or be devoured by termites. Our 50-year warranties provide confidence for decades. Sustainably made in the USA from 95%recycled plastic film and reclaimed sawdust.

SCAN THE QR CODE TO GET YOUR FREE TREX SAMPLES!

Trex Transcend®Lineage™ Composite Decking

The award-winning next generation of design and performance, featuring SunComfortable™technology for our coolest decking yet.


Board Size	140mm x 25mm x 5.48m	Slip Rating	P5



Trex Transcend® Composite Decking

Elevated aesthetics paired with the highest level of performance.


Board Size	140mm x 25mm x 5.48m	Slip Rating	P2




Trex Select® Composite Decking

Select decking is the perfect pairing of price and minimal maintenance and features SunComfortable™technology for our coolest decking yet.*

Board Size	140mm x 22mm x 5.48m	Slip Rating	P4





Under-Deck Drainage System

Trex RainEscape is a unique under-deck drainage system that creates a dry space beneath your elevated deck.

The system uses troughs and downspouts to divert water from the deck allowing the space below to be dry and free from the elements.

Once installed, you can finish the space with utilities and create your perfect outdoor oasis.

- ☑ Protect the space below your deck from rain, sun and other elements
- ☑ Double your outdoor living space or even create storage spaces
- ☑ Simple three-step installation process
- ☑ Protect your floor joists from moisture

Protect your Deck from Moisture and Rot

Using our Trex Protect Joist, Bearer & Rim tape you prevent moisture ingress that can lead to joist rot and loosening of the deck screws and fasteners.

Trex Protect can be applied to horizontal and vertical surfaces. These self-adhesive butyl tapes are designed to protect the top of your timber joist, bearers and rim.

- ☑ Protects the deck substructure from moisture penetration
- ☑ Helps deck screws hold longer and stronger
- ☑ Simple three-step installation process
- ☑ Industry leading 25-year warranty



HURFORD'S x CAMO®

Build SMARTER, buildfaster.

CAMO products are easy to use, easy to learn, and usable on any deck — so you can get the job done and move on.

CamoInnovation– It's the better way to build a deck

SMARTER

- ☑ CAMO tools utilize your favorite drill instead of requiring you to buy a tool with a drill attached
- ☑ Screws are engineered to prevent board splitting, while Clips are designed for maximum strength
- ☑ We offer solutions to reduce the labor you need to get the job done well



FASTER

- ☑ CAMO ClipDRIVE allows you to easily target screws, fastening clips up to 5X faster than other hidden fastening systems
- ☑ CAMO DRIVE enables you to move quickly from joist to joist so you can install square decking 2X faster than hand driving screws
- ☑ Thanks to their one-pass fastening technology, you can install CAMO Universal Deck Clips 2X faster than other grooved fasteners



EASIER

- ☑ CAMO stand-up tools are easier on your body, taking the strain off of your back and knees
- ☑ CAMO Universal Deck Clips are simple to set and stay in place on the joist or in the board's groove
- ☑ Structural Screws start fast, drive easy and hold strong, no pre-drilling required



BETTER

- ☑ CAMO brings versatility to our products so that you can use our fasteners and tools on multiple jobs
- ☑ Investing in a CAMO system pays for itself on the first job with all of the time and labor you'll save
- ☑ You can rely on CAMO to have the solutions you need for every deck you install

Hardwood Decking



Elevate your outdoor living space with Hurford's extensive range of decking products, designed to create inviting and stylish outdoor entertainment areas.

Nothing captures the Australian lifestyle quite like a timber deck. Whether you're designing a quiet retreat or a spacious entertaining area, Hurford's decking range offers the versatility to transform your outdoor space into a natural extension of your home.

For a seamless and cohesive look, consider using the same timber species for both your interior flooring and decking to create a natural flow between indoors and outdoors while enhancing the overall aesthetic of your home.

Our range includes high-quality, kiln-dried hardwoods like Spotted Gum and Vitex decking, as well as a selection of treated and naturally termite-resistant softwoods. With our wide range of sizes and species, Hurford's decking and products can bring your outdoor design ideas to life.

Maintenance:

Australia's high UV exposure causes uncoated timber decking to naturally weather to a silvery grey over time as the sun gradually affects the timber's surface fibres and natural colour. This greying is only surface-level and can be rejuvenated if a different appearance is desired. To preserve or alter the timber's colour, an external timber coating should be applied and maintained according to the manufacturer's recommendations. The level of ongoing maintenance required will depend on the chosen finish, sun exposure, weather protection, and the desired long-term appearance of the deck.

Species:

- Cypress
- Ironbark
- Spotted Gum
- Chestnut/Stringybark
- Blackbutt
- Jarrah
- Blue Gum
- Grey Box
- Grey Ironback
- New England Blackbutt
- Silvertop Stringybark
- Tallowwood
- Turpentine
- White Mahogany
- White Stringybark
- Grey Gum

Sizes:


- 64 x 19mm
- 84 x 19mm
- 135 x 19mm
- 136 x 22mm
- 140 x 22mm
- 140 x 25mm
- 135 x 32mm

Radiata Pine Micropro H3 Decking:

- 70 x 22mm
- 90 x 22mm
- 140 x 22mm

Cypress Pine Seasoned Decking:

- 68 x 20mm
- 90 x 20mm
- 115 x 20mm



SCREENING

Introduce privacy and visual interest with premium screening, crafted to define spaces while maintaining airflow and natural light. Offering a refined balance of function and design, it enhances both indoor and outdoor environments with a contemporary, architectural finish.


Hēimu
The Ultimate Screening Product



Hurford's premium Thermally Modified Merbau Screening.

Whether you're creating a private outdoor retreat or adding a touch of modern elegance to the side of your home, Hēimu's versatility makes it the perfect choice for any outdoor design.

Crafted from premium low-shrinkage timber, Hēimu is made keeping Australian climate in mind.

- ☑ Thermally Modified Merbau – Thermally Modified Merbau - significantly reduces leeching.
- ☑ Pre-Oiled Finish
- ☑ FSC® Certified – Sustainably sourced.

Available in three stock standard sizes:

- 40x19mm
- 40x30mm
- 40x40mm

Available in set length packs:

- 1.8m to 5.4m



Screening



Hurford's screening products offer the perfect balance of privacy, functionality and natural beauty, helping define and elevate outdoor spaces with warmth and character. Whether used to create intimate entertaining areas, provide shade and separation, or enhance architectural features, timber screening adds a timeless and versatile design element to any project.

Designed to complement a range of outdoor styles, our screening solutions allow you to maintain a connection to the outdoors while adding texture and visual appeal. For a cohesive design approach, consider using the same timber species throughout both interior and exterior spaces to create a seamless flow between indoors and out.

Our range includes high-quality hardwoods such as Spotted Gum and Vitex, along with a selection of treated and naturally termite-resistant softwoods, providing options suited to a variety of project styles and performance requirements. Available in a wide range of sizes and species, Hurford's screening products allow you to create durable, refined outdoor spaces with lasting visual appeal.

Maintenance:

Australia's high UV exposure causes uncoated timber decking to naturally weather to a silvery grey over time as sunlight gradually affects the timber's surface and natural colour. This change is only surface-level and can be restored or refinished if a different appearance is desired. To maintain the timber's original colour or achieve a different finish, an external timber coating should be applied and maintained in accordance with the manufacturer's recommendations.

Species:

LOCAL

- Blackbutt
- Brushbox
- Blue Gum
- Cypress
- Grey Box
- Grey Ironbark
- Grey Gum
- Ironbark
- Jarrah
- Mixed Hardwood
- QLD Spotted Gum
- Red Ironbark
- Spotted Gum
- Silver Ash
- Yellow Stringybark
- Tallowwood
- Turpentine

IMPORTED

- Kwila (Merbau)
- Radiata
- Vitex

Hardwood Screening Sizes:

- 40 x 19mm
- 40 x 30mm
- 40 x 40mm



SUPPORTING MATERIALS

Joinery Timer
Cypress Products
Landscaping & Structural Timber
Panel & Plywood

Joinery Timber

Wood is an attractive construction material from stunning furniture pieces through to spectacular staircases and door joinery as well a striking feature structures. It offers a superior performance with design options only limited to your imagination.

Hurford's specialise in producing and supplying an extensive range of joinery timbers to the requirements of timber merchants, joiners and manufactures all over Australia.


Our diverse range of Australian and Imported species enhance the appearance selection for colour tones and grains for all design opportunity.

By having quality control over processes, we make certain the timber supplied at the beginning is to a high standard to reflect through to the end internal or external application.

Australian and Imported Joinery Timber Species are available in an array of grades, sizes and random length packs.

- Blackbutt
- Blue Gum
- Brush Box
- Spotted Gum
- Durian
- Melunak
- Rosewood
- Jelutong
- Kwila
- Surian
- Walnut
- NZ Pine
- Amoora
- Cherry
- Meranti
- Euro Beech
- American Oak
- French Oak
- American Ash
- Tallowwood
- Victorian Ash
- Jarrah
- Ironbark
- Turpentine









Landscaping & Structural Timber

Hurford's stock consists of quality fencing and landscaping timbers and a range of structural F graded timbers ideal for high strength applications. We have treated stock available for above and in ground protection against fungal decay, borers and termites.

Landscaping products:


- Hardwood Palings Tan E H3
- Hardwood Rails Tan E H3
- Hardwood Posts Tan E H4
- Hardwood Sleepers Tan E H4

Palings, rails and posts also available in treated pine.

Structural products:

- Green Hardwood F14 Untreated
- Green Hardwood F17 Untreated
- Green Hardwood F22 Untreated
- Green Hardwood F14 Treated
- Green Hardwood F17 Treated
- Green Hardwood F22 Treated
- Cypress Sawn Unseasoned F7
- KD Hardwood F27 Non Durable (interior only)
- KD Hardwood F27 Dura 1 (exterior use)







Cypress Products







Cypress is an economical and sustainable softwood timber, plentiful in NSW and QLD. The highly durable species is naturally termite resistant making it ideal for building and construction applications such as cladding, fencing and landscaping, while the features of Cypress timber creates an appealing and unmistakable flooring product.

Hurford's extensive range of Cypress products include:

- Screening & Decking
- Solid select grade flooring
- Pre-finished solid flooring
- Solid flooring with reverse VJ profile
- Chamfer & Shiplap
- Sawn Unseasoned F7
- Sawn Unseasoned Posts

Our Cypress harvested from the Barakula State Forest in Western Queensland is otherwise known as "Barakula Gold", due to the superior quality of the raw material. Hurford's Cypress Mill in Chinchilla is the only licensee in the Barakula State Forest, and as such Hurford's is the sole supplier of the Barakula Gold range of Cypress.

Panel & Plywood



Structural Plywood (CD)
Structural plywood is an engineered wood panel designed to be a high-strength sheet for use in general structural building and construction, subject to an application's load bearing requirements.



Feature Ply (AC, BB, BC)
Commonly finished in a clear to highlight the face, Feature Ply is ideal for use in broad range of structural and non-structural applications including decorative ceiling and wall linings, whether left solid, slotted or perforated with small holes.



Marine Ply
Manufactured using high quality plantation hoop pine veneers and a type A Phenolic bond, hoop pine plywood is well suited to marine applications based on its density, bending strength, impact resistance and surface finishing characteristics.



Hardform Formply
Durable and reusable, Hardform is made from cross-banded veneers and high quality phenolic surfaces to provides users with the convenience of both bi-directional strength (F14 or F17) and dimensional stability.

Other Panel and Plywood products we can supply:

- Structural Plywood (CD)
- Non-Structural Plywood (CD)
- Bracing Plywood
- Feature Plywood (AC, BB, BC)
- Bendy Ply
- Lauan Ply
- BB/CC Plywood
- Marine Ply (BS1088)
- Marine Ply (AS/NZS 2272-2006)
- T & G Hardwood Flooring Ply
- T & G Softwood Flooring Ply
- Hardform Formply
- Particleboard Raw
- White Melamine Particleboard
- Particleboard Flooring
- MDF Raw

HURFORD'S

Queensland
400 Stapylton-Jacobs Well Road,
Stapylton QLD 4207
(07) 3442 6300
salesqld@hurfords.com.au

New South Wales & Australian Capital Territory
Unit 1/1 Orielton Road,
Smeaton Grange NSW 2567
(02) 4646 1406
salesnsw@hurfords.com.au

Victoria & Tasmania
51 Commercial Drive,
Pakenham VIC 3810
(03) 8794 3300
salesvic@hurfords.com.au

South Australia & Northern Territory
7-9 Acorn Road,
Camden Park SA 5038
(08) 8376 6694
salessa@hurfords.com.au

Western Australia
7 Carbonate Road,
Wangara WA 6065
0448 132 955
saleswa@hurfords.com.au

Proud Platinum Member &
Accredited Manufacturer of

atfa | Australasian **Timber Flooring** Association®

www.hurfords.com.au

HWH22959